

# BIOSAFE<sup>®</sup> smart

Smart. Stable. Steady.



# BIOSAFE® up to 2,400 l

Smart. Stable. Steady.

## Outstanding Quality

Manufactured in Germany to the highest standards for medical devices (compliant to directive MDD 93/42 EEC), the BIOSAFE® features a comfortable finish that is optimised for aseptic environments.

## Made for More

Manifold possibilities to mount additional redundant sensors.

## Zero-Gravity Lid

A convenient spring supported lid lets you open the freezer with one hand and zero effort. Keeps your handsfree, just move it to the side.

## Best in Class Capacity

Store up to 120,000 2ml vials – more than ever before.

## Sophisticated Ergonomics

Secure steps, supporting hand grips, and a user friendly low operating height ensure easy accessibility and safety at all times.

## Advanced Economy

Our special vacuum super insulation minimises your spread of liquid nitrogen. Our industry-leading evaporation rates save resources.



*exemplary illustration*

## Your Biobanking 4.0 – Our Best Biobank Yet

### Big Data

Log and monitor all events and extract data to gain critical insights about your samples.

Locks the lid automatically. Twofold access control via RFID transponder and PIN. Logs all activities on the freezer. Complies to GMP FDA CRF 21 part 11.

### 100% Control

### Touch Screen

Intuitive multifunctional 8,8" panel with touch colour display. Bright and energy efficient.



### Best Construction

Protected by sturdy glass panel, ideal for aseptic and medical environments.

### High Compatibility

Integrates seamlessly into your workplace and adapts to your needs. Features established interfaces and international voltages.

## Choose your BIOSAFE® smart. Software

### Smart Config-Version

On-site freezer monitoring system.

### Smart+ Info.View

Onsite and remote desktop system with safe data transfer and connection of up to 254 BIOSAFE® freezer in up to 10 different groups.

### Smart+ messenger Info.Alarm

Includes all features from smart+ with encrypted SMS (via provider\*) and eMail alarm.

\* Additional charges for provider services might be possible.

# BIOSAFE® smart

Smart. Stable. Steady.

## The One-Stop Biobank



### Expert support

We are specialists in the field, and can help you find the most efficient solution for your facility.

55


### YEARS Our Expertise

For more than 55 years we closely work with scientists and researchers.



### Cryo Engineering

Turnkey biobanks: planning, engineering, and installation



### Service

Helpdesk, Hotline 24/7, Maintenance schedules.



### BIOSAFE® smart

The digital brain of the biobank.



### State-of-the-art In-house Software

For the efficient management of the complete bio repository.





**55**  
YEARS  
1964 - 2019

**Excellence  
in Engineering**

**Cryotherm GmbH & Co. KG**

Euteneuen 4

57548 Kirchen/Sieg, Germany

Telephone: ++49 27 41 / 95 85-0

Fax: ++49 27 41 / 69 00

E-mail: [info@cryotherm.de](mailto:info@cryotherm.de)

